

Work Order ID 65210

January 10, 2011 7:41:00 AM



Page 1

Item ID: D3650-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Tunnel Top Panel Assembly

Start Date: 1/10/11

Start Qty: 1.00



Cust Item ID:

Required Date: 1/21/11

Req'd Qty: 1.00

Customer:

Reference:

Approvals:

Process Plan: CL

Date: 11/01/10 Tooling:

Date:

Run Start



QC:

Date: SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3650

Rev C

100

Pick Kit

0.00



Packaging

Memo

0.00

Packaging

110

Small Fab

0.00



Small Fab

Memo

0.00

Small Fab

1-Assemble as per dwg D3650 2- Seal all mating surfaces and all gaps using
Proseal 700 fire wall sealant as per dwg D3650 Batch: 1116573

SB 11/01/13

120

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

Quality Control

Subloc 1/13



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Page 2

Accept

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

Setup Start

Stop

[illegible]**Cust Item ID:**

Abstract

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

Operation Description

Set Up/ Run Hours

Tool ID**Tool #****Plan
Code**

Accept Qty

Reject Qty

Reject Number

Insp. Stamp

130

Identify as per dwg & Stock Location: GA

0.00

SB 10/02/13

[illegible]

Packaging

Memo

0.00

Packaging

140

QC21- Final Inspection - Work Order Release

0.00


(b) (7)(C), (b) (7)(D)

QC

Memo

0.00

Quality Control

11/01/13 

MF
11-01-13

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

January 10, 2011 7:41:00 AM

Page 1

Work Order ID: 65210

Parent Item: D3650-041

Parent Item Name: Tunnel Top Panel Assembly

Start Date: 1/10/11

Required Date: 1/21/11

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A New Issue 07-11-12 EC verified by: DD
IPP Rev:B Ecn 1113P 08-01-22 DD verified by:EC
IPP Rev:C Ecn1162 08-04-02 DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
AN960C10	NAS1149C0363 R	Purchased	No			100	Each	0.0000	8	8			
WASHER						113889							
AN3C3A		Purchased	No			110	Each	381.0000	8	8			
Bolt													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST350		381							
				115159		81							
				115936		100							
				116081		200							
D3650-1		Manufactured	No			110	Each	6.0000	1	1			
Aft Panel													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST189		6							
				61743		6							
D3650-3		Manufactured	No			110	Each	8.0000	1	1			
Center Panel													
				<u>Location</u>		<u>Loc Qty</u>		<u>Loc Code</u>					
				ST189		8							
				53842		8							

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

January 10, 2011 7:41:00 AM

Page 2

Work Order ID: 65210



Parent Item: D3650-041



Parent Item Name: Tunnel Top Panel Assembly

Start Date: 1/10/11

Required Date: 1/21/11

Start Qty: 1.00

Required Qty: 1.00

D3650-5

Manufactured No

110

Each

2.0000

1

1



Fwd Panel



SB 1/10/11

Location

Loc Qty

Loc Code

ST189

2

47872

2

B61744

1

January 10, 2011 7:41:00 AM

Shop Packet Print

Page 2

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

8 7 6 5 4 3 2 1

QTY -041	PART NUMBER	DESCRIPTION
X	D3650-041	TUNNEL TOP PANEL ASSEMBLY
1	D3650-1	AFT PANEL
1	D3650-3	CENTER PANEL
1	D3650-5	FWD PANEL
8	AN3C-3A	BOLT
8	AN960C10	WASHER


AN3C-3A BOLT
AN960C10 WASHER
8 PL



DEO ATTACHED

UNDER REVIEW

RELEASE



D3650-041 TUNNEL TOP PANEL ASSEMBLY

NOTES:

- 1) SEAL ALL MATING SURFACES AND ALL GAPS USING PROSEAL 700 FIRE WALL SEALANT
- 2) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) UNITS: INCHES UNLESS OTHERWISE NOTED
- 4) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 5) IDENTIFICATION: NONE
- 6) TORQUE FASTENERS 15 TO 25 in-lb
- 7) WEIGHT: 3.3 lbs

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER


NO. 65210

CL 11/10/10




C	REFORMATTED TO NEW STANDARDS; RELOCATED PART LIST (ZN D2-2); ADDED SECTION VIEW J-J & REVISE DIMENSIONS (ZN B7-5, C4-5); ADDED RECESS LOCATION & REVISED DIMENSIONS (ZN C6-6, D5-6); MS20615-4M5 WAS CR3523-4-03 & NAS1149CN432R WAS AN960C4 (ZN D5-7; B5-7; B8-7)	RF	08.10.14
B	SHEETS 1, 2 & 7: UPDATED FASTENER QUANTITIES; UPDATED VIEWS SHEETS 3 & 8: REMOVED/RELOCATED HOLES; UPDATED VIEWS SHEET 4: 1.8 WAS 1.5; 1.0 WAS 0.8; UPDATED VIEW; ADDED NOTE 8 SHEET 5: REMOVED NOTE IN C6 & ASSOCIATED DIMS; UPDATED VIEWS SHEET 6: REMOVED/RELOCATED HOLES & ADDED CUTOUT TO D3650-3F, MOVED D3650-11/11F TO SHEET 9; ADDED DETAIL 1 SHEET 9: RELOCATED D3650-11/11F FROM SHEET 6; UPDATED DIMS OF D3650-11/11F	RF	08.01.07
A	NEW ISSUE	RF	07.11.07
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	B	DRAWING NO.	REV. C
MFG. APPR.	ND	D3650	SHEET 1 OF 9
APPROVED	ND	TITLE	SCALE
DE APPR.	ND	TOP PANEL ASSEMBLY	1:8
DATE	08.10.14	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

8 7 6 5 4 3 2 1


QTY	PART NUMBER	DESCRIPTION
1	D3650-1	AFT PANEL
1	D3650-1B	AFT PANEL BENT PART
18	MS20427M3-3	RIVET
6	MS21060-3K	NUTPLATE
3	MS21062-3K	NUT PLATE



D3650-1 AFT PANEL



D3650-1B AFT PANEL BENT PART
(MAKE FROM D3650-1F FLAT PATTERN)



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT

WITHOUT NOTICE
WORK ORDER
NO. 65210


DEO ATTACHED

UNDER REVIEW


RELEASED

- NOTES:
- 1) FINISH: NONE
 - 2) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 3) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 4) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 5) IDENTIFICATION: NONE
 - 6) WEIGHT: 1.3 lbs


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3650	SHEET 2 OF 9
APPROVED		TITLE	SCALE
DE APPR.		TOP PANEL ASSEMBLY	NTS
DATE	08.10.14	COPYRIGHT © 2007 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			




D3650-1F FLAT PATTERN




DETAIL A C7-3
SCALE 1.5X



DETAIL B C7-3
SCALE 1.5X



DETAIL C C4-3
SCALE 1.5X



DETAIL D C4-3
SCALE 1.5X

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 THICK (26 GAUGE) SHEET, PER MIL-S-5059 OR AMS 5513/5524 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.22 lbs



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE

WORK ORDER
NO. 65210


UNDER REVIEW

DEO ATTACHED


RELEASED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	B	DRAWING NO.	REV. C
MFG. APPR.		D3650	SHEET 3 OF 9
APPROVED		TITLE	SCALE
DE APPR.		TOP PANEL ASSEMBLY	NTS
DATE	08.10.14	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

QTY	PART NUMBER	DESCRIPTION
3		
X	D3650-3	CENTER PANEL
1	D3650-3B	CENTER PANEL BENT PART
1	D3650-11	FILLER PLATE



D3650-3 CENTER PANEL
(LOOKING FROM OUT SIDE SURFACE)



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 65210








DEO ATTACHED

RELEASED
08/11/74

- NOTES:
- 1) WELD PER QSI 004
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 1.0 lb
 - 8) TRIM D3650-11 TO FIT AS REQUIRED

UNDER REVIEW

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO. D3650	REV. C
MFG. APPR.			SHEET 4 OF 9
APPROVED		TITLE	SCALE
DE APPR.		TOP PANEL ASSEMBLY	NTS
DATE	08.10.14	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR DISCLOSED OR REPRODUCED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 65210

DEO ATTACHED


RELEASED
08/10/14

- NOTES:
1) FINISH: NONE
2) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
3) UNITS: INCHES UNLESS OTHERWISE NOTED
4) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
5) IDENTIFICATION: NONE

D3650-3B CENTER PANEL BENT PART
(MAKE FROM D3650-3F FLAT PATTERN)

UNDER REVIEW
08.10.14


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3650	SHEET 5 OF 9
APPROVED		TITLE	SCALE
DE APPR.		TOP PANEL ASSEMBLY	NTS
DATE	08.10.14	COPYRIGHT © 2007 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			





MS21062-3K NUTPLATE
MS20427M3-3 RIVET, 2 PL
2 PL

MS21060-3K NUTPLATE
MS20427M3-3 RIVET, 2 PL
2 PL

D3650-5B
FWD PANEL
BENT PART
REF



DETAIL F
SCALE 3.5X



DEO ATTACHED

D3650-5B FWD PANEL BENT PART
(MAKE FROM D3650-5F FLAT PATTERN)

RELEASED
08/11/17 MB

PART LIST

QTY	PART NUMBER	DESCRIPTION
X 1	D3650-5	FWD PANEL
1	D3650-5B	FWD PANEL BENT PART
1	D3650-7-8.19	SEAL
1	D3650-9	ANGLE
12	NAS1149CN432R	WASHER
12	MS20615-4M5	RIVET
81	MS20427M3-3	RIVET
21	MS21060-3K	NUTPLATE
21	MS21062-3K	NUTPLATE

△ C

△ B

CENTRE D3650-7I-9 ON D3650-5B &
TRANSFER Ø0.129 (#30 DRILL) HOLES
FROM D3650-9 TO D3650-7 & D3650-5B
AS SHOWN
INSTALL
MS20615-4M5 RIVET
NAS1149CN432R WASHER
12 PL

△ C

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 THICK (26 GAUGE) SHEET, PER MIL-S-5059 OR AMS 5513/5524 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.8 lbs


D3650-5 FWD PANEL

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT

UNDER REVIEW
08.10.14
08.10.14

WITHOUT NOTICE
WORK ORDER
NO. 65210

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	REV. C
DRAWN	RF		
CHECKED	B	DRAWING NO. D3650	SHEET 7 OF 9
MFG. APPR.		TITLE TOP PANEL ASSEMBLY	SCALE NTS
APPROVED		COPYRIGHT © 2007 BY DART AEROSPACE LTD	
DE APPR.		THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	08.10.14		



D3650-5F FLAT PATTERN




NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 THICK (26 GAUGE) SHEET, PER MIL-S-5059 OR AMS 5513/5524 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.6 lb

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

NO. 65210


UNDER REVIEW
[Signature]
08.10.14




DEO ATTACHED

RELEASED
[Signature]

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO. D3650	REV. C
MFG. APPR.	<i>[Signature]</i>	SHEET 8 OF 9	
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	TOP PANEL ASSEMBLY	NTS
DATE	08.10.14	<small>COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	





D3650-11 FILLER PLATE
(MAKE FROM D3650-11F FLAT PATTERN)




D3650-11F FLAT PATTERN



D3650-9 ANGLE
(MAKE FROM D3650-9F FLAT PATTERN)



D3650-7-8.19 SEAL



D3650-9F FLAT PATTERN

D3650-7-8.19 NOTES:

- 1) MATERIAL: P/N 8168-1 TADPOLE SEAL (REF. BELL P/N 120-104-1)
POSSIBLE SUPPLIER: EAGLE COPTERS OR BELL
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.05 lb
- 8) PART NUMBER: D3650-7-X.XX
WHERE X.XX = LENGTH IN INCHES
EG. 12.50" LONG = D3650-7-12.50

D3650-9 & D3650-11 NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL 0.018 THICK (26 GAUGE) SHEET,
PER MIL-S-5059 OR AMS 5513/5524 (REF. DART SPEC. M304S26GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) D3650-9 WEIGHT: 0.05 lb
D3650-11 WEIGHT: 0.007 lb

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER

NO. 65210

UNDER REVIEW
08/07/08
OK 08/07/08

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED		DRAWING NO.	REV. C
MFG. APPR.		D3650	SHEET 9 OF 9
APPROVED		TITLE	SCALE
DE APPR.		TOP PANEL ASSEMBLY	NTS
DATE	08.10.14	COPYRIGHT © 2007 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

DEO ATTACHED

RELEASED
03/07/10

DRAWING NO. D3650	TITLE TOP PANEL ASSEMBLY	REV. C	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D3650-C-1	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN CP	CHECKED	MFG. APPR.	APPROVED	DE APPR.			
DATE 09.06.12	DATE 06.06.15	DATE 09.06.15	DATE 09/06/15	DATE 09/06/15			

TO AMEND D3650-5 FWD PANEL:

REF PAR 09-008. THE QTY(12) NAS1149CN432R WASHERS ARE REPLACED WITH QTY(1) D3893-1 DOUBLER. THE QTY(12) MS20615-4M5 RIVETS ARE REPLACED WITH QTY(12) NAS9307M-4-03 RIVETS. LOCATION OF THE DOUBLER IS SHOWN IN THE AMENDED DETAIL F (DWG SHEET 7) BELOW. THE PARTS LIST FOR D3650-5 IS AMENDED AS FOLLOWS:


IS:

QTY	PART NUMBER	DESCRIPTION
-5		
1	D3893-1	DOUBLER
12	NAS9307M-4-03	RIVET (OR CR3523-4-03)


WAS:

QTY	PART NUMBER	DESCRIPTION
-5		
12	NAS1149CN432R	WASHER
12	MS20615-4M5	RIVET

RELEASED
09/06/15



D3650-5 FWD PANEL



SHOP COPY
RETURN TO D3650-9 ANGLE
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 65210

DETAIL F C5-7
SCALE 3.5X

